



Joy 140

TECHNICAL CHART

Product Code: Joy 140

Manufacturer: Made in Italy by PAVESI FORNI

www.pavesiforni.it

Product Description: Wood and Gas professional oven.

Capacity: 8/12 pizzas

Dimensions Outside Width 180 cm | Depht 186cm

Height 190cm

Weight in Kg: 1.320

Monoblock Cooktop: Ø 140 cm - Thickness 7cm

SPECIFICATIONS:

Purpose: Professioal Wood Gas Fired oven for cooking Pizza and other dishes. Stone hearth made

Construction: by vibrated refractory cement; Dome Thickness 8/10 cm. Base Insulation cm 10 of micro-

porous insulating bricks; Dome Insulation cm 12 of kaolin blanket. Cooktop Height from

Cooking Chamber: Groung 115 cm (Adjustable), Cooktop/Dome distance 42 cm.

Safety: All Pavesi Ovens are CE and UL conform. Exterior temperatures below 40°. Compliant gas

systems with flame failure device. Hemispherical fiberglass waterproof outer cover. Heat

painted metal parts with a high resistance to weathering, UV rays and thermal shock.

Joy oven has been specificaly designed for being used also outdoors.

Opening Dimensions: Fire painted opening measures: 60x23H cm. Stainless steel sill.

Accessories: 1 Inox Baking Paddle Dim: 18cm; 1 rectangular alluminium Paddle Dim: 32cm

1 firedog + 1 temperature gauge (traditional wood ovens only); spare parts for burner.

GAS BURNER / FLUE

PLEASE NOTE: As it is true for residential boilers, the gas-burner and oven-flue connections in professional ovens must be executed by your specialised technician (plumber or heating technician).

TECHNICAL CHART DRAGO MINI

- Thermal Potential (Kw): min. 6 - max. 34

- Thermal Potential (Kcal/h): min. 5.000 - max. 29.200

- Gas Pressure (mbar): min. 10 - max. 30

- Gas Flow (Nm3/h): min. 0,60 - max. 3,43

- Gas Coupling (inches): 1/2

- Electrical Power Supply: 220 V

- Consumption: 100 W

TECHNICAL CHART FLUE

- 200 mm Flue Connection

- Smokes temperature at the vent 300°

- 25 g/sec (50m³/Hr)

- 12 Pa static pressure

- Co 0,11% (with 13% Oxigen)

IMPORTANT: The oven has to have a flue itself (no other equipment have to be connected to the flue).